# Diagnosis report of





#### **Car Details**

| Color: Grey                                | CO <sub>2</sub> NEDC Emission: 139 g/km |
|--|---|
| Fuel Type: Petrol                          | CO <sub>2</sub> WLTP Emission: 0        |
| Body Type: Wagon                           | Low $CO_2$ Emissions: No                |
| Number Of Doors: 4                         | Engine size: 1.4 l                      |
| Number Of Seats: 5                         | Cylinders: 4                            |
| Mileage: 244 321 km                        | Power: 103 kw, 140 Hp                   |
| VIN Code: W0LGM8EP7C1008908                | Fuel Consumption: 5.9 l/100km           |
| Gearbox: Manual                            | Tire size: 245/45 18                    |
| Drive type: FWD                            | Longo Stock ID: N442456                 |
| Next technical inspection date: 03.01.2027 |   |
|  |   |

🕵 Longo Certified

## Car photos



# Diagnosis report of



# 2011 OPEL INSIGNIA EcoFLEX Edition

### **Diagnosis details**

Date of completion: 13.12.2024

#### Mileage on completion date: 244 321 km

Checked by Longo Shared Service certified diagnostics: Ainis G., Eimantas A., Justas G.

This car has been thoroughly checked according to **Longo 150-point checklist** which covers Body exterior, Interior, and Mechanical condition. We can confirm that it has never been involved in major accidents and has had regular maintenance, as well as mandatory roadworthiness tests in the country of export.

Please note that certain general wear and tear issues are considered acceptable and may not be repaired.

#### Summary of diagnosed issues

During the comprehensive diagnosis conducted by Longo, 33 issues were identified in the vehicle. 18 of these issues were rectified. 15 of the diagnosed issues are deemed to be fair wear and tear.

| INTERIOR               | EXTERIOR             | MECHANICAL          |
|------------------------|----------------------|---------------------|
| 2 issues rectified     | 3 issues rectified   | 13 issues rectified |
| 📀 6 fair wear and tear | 9 fair wear and tear |                     |

#### **Diagnosis process**







# Diagnosed issues repaired

## Interior

- 1. FRONT: Drive pedals condition
  - Change gum for drive pedals



2. DOORS: Exterior side mirrors - electronic mirror controls, folding and adjustment mechanism





- 1. FRONT: Window washer fluid level (in winter also winter adequate fluid)
  - Change window washer container



- 2. LIGHTS: Front lights (city, regular and full headlight, fog, indicator) basic functioning, damage, color
  - Change headlights



3. LIGHTS: Light Bulbs

Change bulb for numberplate lights



#### Mechanical

#### 1. OTHER:

Charge the battery

#### 2. OTHER:

Sensine oil & filter change

### 3. OTHER:

Fill coolant

#### 4. ENGINE:

Auxiliary drive belt



#### 5. ENGINE:

Camshaft/valve cover & gasket

#### 6. ENGINE:


🥑 Oil coolant

### 7. ENGINE:

Valve cover

### 8. BRAKES:

Rear brake disc (both)



#### 9. BRAKES:

Brake caliper holder



### 10. SUSPENSION:

Shock absorbers (pair)

#### 11. SUSPENSION:

Shock absorbers rear

### 12. COOLING SYSTEM:

Thermostat

### 13. COOLING SYSTEM:

🔮 Water pump

# Fair wear and tear

### Interior







3. FRONT: Sunvisors - operation and condition





4. INSIDE: Gear shift boot/skirt and Gear shift knob - condition



5. INSIDE: Carpets - condition





6. DOORS: Trims - condition



Diagnosis report of **2011 OPEL INSIGNIA EcoFLEX Edition** Stock ID: N442456

## Exterior

1. FRONT: Front bumper - condition and alignment






2. FRONT: Hood - visual damage



3. LIGHTS: Rear lights (brake, fog, indicator) - basic functioning, damage, color











6. SIDE: Left and right side - visual damage / scratches



7. SIDE: Left and right side - visual damage / scratches



8. SIDE: Left and right side - visual damage / scratches



9. SIDE: Left and right side - visual damage / scratches



# Longo 150-point checklist



Every vehicle is carefully examined according to Longo's comprehensive 150-point checklist, ensuring a thorough assessment of the car's interior, exterior, and mechanical condition. Depending on the factors such as condition, mileage, and specifications, additional checks may be included or certain points from the list may be omitted.

| 3. Record the transmission type 53. Check AdBke level and add fincessary (only for disject cars) 103.   4. Beroard the registration number 54. Check space robust indugs setting and reast to default 105.   5. Record the registration number 55. Check space robust indugs setting and reast to default 105.   6. Record the finate row manufactured 57. Sheering wheel - contain on control-buttoms 106.   6. Record the data of its registration 68. Sheering wheel - contain on control-buttoms 106.   6. Record the data of its registration 69. Check masses robust in control-buttoms 106.   6. Record the data of its registration 60. Window wheel - operation in control-buttoms 101.   10. Record the data of its registration 60. Window wheels from finate - functioning from 6 rear) 111.   11. Check car's maintenance based and adaption of the data of the data of its registration of the data  | 101. Review replacement mileage of belt / chain and optically check quality   |
|--|---|
| a kecord ine gradmassion type3.5.4 LineX. Addisi. Level and addi if necessary (only for disci larg)while4. Record the grady tarbo number5.5. Check passenger other infrage setting and reset to default105.6. Record the winks are was numfactured5.5. Sheck passenger other infrage setting and reset to default105.8. Record the water was numfactured5.5. Shech passenger other infrage setting and reset to default106.9. Record the dataroning are the exist service due60. Window wines for to reor) - functioning101.10. Record the dataronine grad the exist service due60. Window wines for to reor) - functioning for the reor).111.11. Check are an induces on the inters service due60. Window wines for to reor) - functioning for the reor).111.12. Check are an induces on the inters in the reor service due61. Window wines for to reor) - functioning for the reor).111.13. Forni light head and the basilight, fog indicator) - functioning62. Rearview ninror - operation and integrity of attachment.114.14. Jorts on the light adjustment system functioning for condition63. Head lines - clear circlic onerhity and condition.115.14. Windocreen integrity - free from any damage that would exclude the view integrity and condition.64. Rearview camera / proving view service due120.15. Roor light to the data on all diageness of the ord data on the service due60. Windocreen integrity on the data data.120.15. Roor light to the data data data data data data data dat   | 102. Check timing belt or chain for integrity   |
| 5. Record the VM number55. Check passerge other indege setting and reset to default60.6. Record the varue numufactured55. Seleng wheel-condition operation of buttons60.8. Record the date of first registration56. Seleng wheel-condition operation of cortrobuttons60.8. Record the date indege of the last service56. Carb non-operation60.10. Record the date indege of the last service and50. Window wigers (front & rear) - functioning (front & rear)110.11. Check car's maintenance history and manufacturer recall and safety62. Rear/wernieror operation and integrity of attachment111.12. Force fights (hyr, regular and full headlight, fig, indicator) - functioning63. Survices - operation and condition113.13. Force fights (hyr, regular and full headlight, fig, indicator) - functioning & condition64. Rear/wernieror - operation and condition114.15. Rear fights (hyr, regular and hundles- condition64. Rear/wernieror - operation and condition114.15. Rear fights (hyr, regular and hundles- condition64. Rear/wernieror - functioning114.16. Rear relever - condition70. Nonspatch and radio system - operation114.17. Rear relever - condition70. Nonspatch and radio system - functioning114.17. Rear relever - condition70. Nonspatch and radio system - operation124.17. Rear relever - functioning70. Nonspatch - functioning124.17. Rear relever - condition70. Nonspatch - functioning124.17. Rear relever - condition70. Nonspatch - functioning124.17. Rear relever - con   | 103. Check timing belt or chain for any audible signs of problems (start & while idling)  |
| 5 Record the unlenge55 Dashbased - condition: operation of buttors1067 Record the unlenge of the respectation1078 Record the dist of first registration55 Selering wheel - operation of controls/buttors1078 Record the dist of first registration65 Selering wheel - operation1089 Record the dist of first registration69 Selering wheel - operation10810 Record the distribuing of the next service due60 Window whyels first Sci Reruh - functioning (front & enar)1111 Check of maintenance history and manufacturer recall and select21, Rear when innor - operation and condition1312 Front fights (hyr, registra and hulh exdlight, fog, indicator) - functioning6, Headining - condition1313 Front fights (hyr, registra and hulh exdlight, fog, indicator) - functioning & condition6, Rear when innor - operation and condition1414, Lipts on car sides - functioning & condition6, Rear when - operation and integrity of attachment1614, Rear when integrity - free front any damage that would exclude the select of not whole yees nucleon and integrity of attachment1616, Windoreem integrity - free front any damage that would exclude the select of not would any selectors - functioning2119, Windoreem windows wher ubbers and handles - condition71, Heating system - functioning (front & enar)1219, Windoreem windows wher ubbers and handles - condition72, Arcon yystem - functioning (front & enar)1219, Windoreem windows wher ubbers and handles - condition72, Arcon yystem - functioning (front & enar)1219, Front gill - condition7   | 104. Check for any signs of leakage of any liquids  |
| 2. Record the year 52. Steering wheel-condition 107.   3. Record the date off ist registration 56. Steering wheel-condition 108.   3. Record the date mininger of the last service 50. Ca hen or operation 100.   10. Record the date/mininger of the last service 50. Ca hen or operation 100.   11. Deck car's mininger of the last service date 60. Window wigers (front & rear) - functioning 111.   11. Deck car's mininger of the last service date 63. Survisors - operation and integrity of attachment 114.   12. Front light height adjustment system - functioning & condition 64. Rearview mirror - operation and integrity of attachment 114.   13. Front light height adjustment system - functioning & condition 65. Nearlines - electratic coperition and condition 116.   14. Jerists cars attack - functioning & condition 65. Rearview mirror - operation and integrity of attachment 114.   14. Jerists cars attack - functioning & condition 65. Rearview camera / arcoining sers - functioning 117.   17. Rear reflectors - condition 70. Navigation and radio system - functioning 118.   18. Windox even windows wiger rubbers and handles - condition 71. Navigation mir attack sersers - functioning 127.   19. Windox even windows wiger rubbers and handles - condition 71. Searting system - functioning 128.   19. Windox even windows wiger rubbers and handles - conditio  | 105. Check level of coolant or anti-freeze in the tank  |
| 8. Record the data frist registration 98. Steering wheel - operation of controls/buttors 198.   9. Record the data/mileage of the net service due 60. Window wipes front 3 rear) - functioning 110.   10. Deck cars maintenance history and manufacturer recail and safety 61. Window wipes front 3 rear) - functioning front 5 rear) 111.   12. Front light heigh adjustment system - functioning & condition 63. Survisors - operation and integrity of attachment 113.   13. Front light heigh adjustment system - functioning & condition 64. Rear view mirror - operation and integrity of attachment 114.   14. Lights on car sides - functioning & condition 65. Headlining - condition 115.   15. Runnberghter lighting system - functioning & condition 66. Reof terms - electronic apening and condition 164.   16. Runnberghter lighting system - functioning & condition 67. Navigation and ratio system - operation 176.   17. Rear reflectors - condition 71. Having system - functioning 178.   18. Windorsem indrives weight runnber - condition 71. Parking assistance system - functioning 129.   19. Windorsem indrives weight runnber - condition 72. Aircon system - functioning (front & rear) 129.   19. Windorsem indrives weight runnbers 72. Aircon system - functioning (front & rear) 129.   19. Windorsem indrives weight runnbers 72. Seathests runnoring and condition 124.   | 106. Add coolant if necessary   |
| Record the data/mileage of the next service59. Car horn: operation109.10. Record the data/mileage of the next service due60. Window winjers (front & rear) - functioning (front & rear)111.11. Locke cars111.112.12. Font lights (light, regular and full headlight, fog. indicator) - functioning62. Rearview mirror - operation and integrity of attachment113.13. Toro thight height adjustment system - functioning & condition63. Survisors - operation and condition113.14. Lights on car sides - functioning & condition64. Rearview mirror - operation and condition114.15. Rear light (sizes, fog. indicator) - functioning & condition64. Rearview rarror - operation and condition114.16. Rear light (sizes, fog. indicator) - functioning & condition64. Rearview camera / proximity sensors - functioning114.17. Rear reflectors - condition70. Lize vat and USB connectors - functioning114.18. Windscreen integrity - free from any damage that would exclude the dister motion69. Parking assistance systems - functioning124.19. Undocreen windows wineer rubbers and handles - condition71. Zive tand USB connectors - functioning124.19. Cond undition71. Zive tand USB connectors - functioning124.19. Hond under adaptate winter washer fluid73. Settering setter - functioning form & rear)124.19. Hond visual damage72. Altron system - functioning form & rear)124.19. Line of the condition73. Settering setter - functioning form & rear)124.19. Line of the condition74. Line of the condition124. <td>107. Check if coolant tank is filled with anti-freeze</td>   | 107. Check if coolant tank is filled with anti-freeze   |
| 10. Record the date/mileage of the next service due 60. Window wipers (front & rear) - functioning (front & rear) 11.   11. Deck of the date/mileage of the next service due 61. Window wash system - functioning (front & rear) 11.   12. Front lights (thy, regular and full headlight, fog, indicator) - functioning & condition 63. Survisors - operation and integrity of attachment 114.   13. Front light height adjustment system - functioning & condition 64. Rear/ever wirrer - operation and integrity of attachment 114.   14. Jugtts to crist due functioning & condition 64. Rear/ever variant and condition 116.   14. Numberspate lighting system - functioning & condition 64. Rear view camera / proximity sensors - functioning 117.   16. Windox memberspate lighting system - functioning & condition 61. Rear view camera / proximity sensors - functioning 110.   17. Windox memberspate lighting system - functioning 62. Parking assistance systems - functioning 120.   19. Windox memberspate lighting system - functioning 120. 120.   19. Windox memberspate lighting system - functioning 120. 120.   21. Foret tight condition 71. Heating system - functioning (foret & prass) 120.   22. Hood cound for subfirme 72. Seath seating system - functioning (foret & prass) 120.   23. Hood cound for subfirme 73. Seath seating system - functioning (foret & prass) 120. <t< td=""><td>108. Ensure engine cooling system is free of visual contamination</td></t<>   | 108. Ensure engine cooling system is free of visual contamination   |
| 11. Orsek car's maintenance history and manufacture recall and safeby   61. Window work system - functioning (from & grear)   11.     12. From lights (hty, regular and full headlight, fog, indicator) - functioning   62. Rearview mirror - operation and integrity of attachment   112.     13. Tork light height adjustment system - functioning & condition   63. Survisors - operation and integrity of attachment   114.     14. Bers lights (hty, regular and full headlight, fog, indicator) - functioning & condition   64. Rearview mirror - operation and condition   115.     16. Number plate lighting system - functioning & condition   64. Rearview mirror - operation and condition   114.     17. Rear reflectors - condition   67. Navigation and radio system - operation   117.     18. Windoxreen integrity - free from any damage that would exclude the divel form MOT test   68. Rear view camera / proximity sensors - functioning   120.     19. Windoxreen windows wiper rubbers and handles - condition   71. Heating system - functioning (from 6 rear)   120.     20. Front humper - condition and alignment   70. 12-wolt and USB connectors - functioning (from 6 rear)   120.     21. Front gift - ondition   71. Heating system - functioning (from 6 rear)   120.     22. Hood opening & holding mechanism   72.   22.   22.   22.   22.   22.   22.   22.  | 109. Check quality of brake fluid using the testing pen   |
| campagescit.Window was system - functioning words a rear)11111122. Front light city regular and full headilght, fog indicator) - functioning22. Rear wiew miror - operation and integrity of attachment112.13. Front light height adjustment system - functioning & condition63. Survisors - operation and condition113.15. Rear lights (brake, fog indicator) - functioning & condition64. Rear view miror - operation and integrity of attachment114.15. Rear lights (brake, fog indicator) - functioning & condition64. Rear view camera / proximity sensors - functioning116.17. Rear reflectors - condition67. Navigation and adid system - operation116.18. Windscreen integrity - free from any damage that would exclude the<br>which is room MOT test69. Parking assistance systems - functioning119.19. Windscreen windsw signer rubbers and handles: condition71. Hearing system - functioning120.19. Windscreen windsw signer rubbers and handles: condition71. Hearing system - functioning120.21. Front light - condition and alignment71. Windsw heating mechanism - functioning (form & farsar)120.22. Hood system - functioning & condition72. Aster setties: functioning and locking mechanism120.23. Hood sound insidation for condition73. Setties: functioning and locking mechanism120.24. Hood sound insidation for condition74. Settier side miror and locking mechanism120.25. Fire wall for condition74. Settier side miror and locking mechanism120.26. Rear window wier turb and handle82. Editori side miror and condition133   | 110. Check the level of brake fluid   |
| 2. Condition   62. Rear/wew mirror - operation and integrity of attachment   111     13. Front light height adjustment system - functioning & condition   63. Survisors - operation and integrity of attachment   113     15. Rear lights (brake, fog, indicator) - functioning & condition   64. Rear/wew mirror - operation and integrity of attachment   114     15. Rear lights (brake, fog, indicator) - functioning & condition   65. Headfing- condition   67. Navigation and radio system - operation and integrity of attachment   117     17. Rear reflectors - condition   64. Rear/view camera / proximity sensors - functioning   118     18. Windscreen integrity - free from any damage that would exclude the whick from MOT test   68. Rear view camera / proximity sensors - functioning   120     19. Windscreen windows wiper nubbers and handles - condition   70. 12 voits and USB connectors - functioning   120     21. Fornt prill - condition   71. Heating system - functioning   120     22. Hood versiting mechanism   72. Sex attems - functioning (front & rear)   123     24. Hood sound insulation for condition   74. Seat heating system - functioning (front & rear)   124     25. Fire will for condition   75. Seat distert mether watariams   125     26. Nord weight mechanism   127. All seats - condition   127     27. Integrity of fro   | 111. Check powersteering fluid color (if dark, replace)   |
| 14. Lights on car sides - functioning & condition   64. Rearview mirror - operation and integrity of attachment   114.     15. Rear flights (brake, fog, indicator) - functioning & condition   65. Head filling - condition   115.     16. Numberplate lighting system - functioning & condition   67. Navigation and radio system - operation   117.     18. Windscreen integrity - free from any damage that would exclude the evhicic from MCT test   68. Rear view camera / proximity sensors - functioning   118.     19. Windscreen windows wiper rubbers and handles - condition   69. Parking assistance systems - functioning   129.     19. Windscreen windows wiper rubbers and handles - condition   70. 12 volt and USB concertors - functioning   120.     21. Front guil - condition   71. Heating system - functioning   121.     22. Hood visual damage   72. Aircon system - functioning (front & rear)   123.     23. Hood sound insulation for condition   75. Seat dijstem trenchanism - functioning (front & rear)   124.     25. Fire valif for condition   72. Seat dijstem trenchanism - functioning (front & rear)   126.     27. Integrity of front subframe   77. All seats - condition   128.     28. Rear window wiper rubber and handle   79. Electronic operation and condition   128.     29. Rear window wiper rubber and handle   79. Electron   | 112. Check powersteering fluid level  |
| 15. Rear lights (brake, fog. indicator) - functioning & condition 65. Headlining - condition 115.   16. Number plate lighting system - functioning & condition 66. Roof ftems - electronic opening and condition 116.   17. Rear reflectors - condition 67. Navigation and radio system - operation 116.   18. Windscreen windows wiper rubbers and handles - condition 69. Parking assistance systems - functioning 117.   19. Windscreen windows wiper rubbers and handles - condition 70. 12-wolt and USB connectors - functioning 120.   20. Front bumper - condition and alignment 70. 12-wolt and USB connectors - functioning (front escipasse) 121.   20. Front bumper - condition 71. Heating system - functioning (front escipasse) 124.   21. Hood vauid damage 72. Aircon system - functioning (front escipasse) 124.   22. Hood vauid damage 73. Windsw heating mechanism - functioning (front escipasse) 126.   24. Hood sound insulation for condition 73. Seatabets - functioning and ickling mechanism 126.   27. Integrity of front subframe 76. Seatabets - functioning (friver & passenger) 126.   28. Rear windows wiper rubber and handle 79. Electronic opening of al windows - functioning (friver & passenger) 126.   29. Rear windows wiper rubber and handle 80. Exterior's electronic opening of al windows - functioning (friver & passenger) 126.   29. Rear windows wiper   | 113. Check oil level  |
| 16. Numberplate lighting system - functioning & condition 64. Roof items - electronic opening and condition 114.   17. Rear reflectors - condition 67. Navigation and radio system - operation 117.   18. Windscreen integrity - free from any damage that would exclude the welch from MOT test 68. Rear view camera / proximity sensors - functioning 118.   19. Windscreen integrity - free from any damage that would exclude the welch from MOT test 69. Parking assistance systems - functioning 120.   20. Front bumper - condition 70. 12-voit and USB connectors - functioning 120.   21. Front grill - condition 71. Heating system - functioning (front & rear) 123.   23. Flood opening & folding mechanism 72. Seat heating system - functioning (front & rear) 124.   25. Fire wall for condition 75. Seat testifts mechanism - functioning (front & rear) 126.   26. Window wather fuld level and adequate winter washer fluid 76. Seat adjustment mechanism - functioning (front & rear) 126.   27. Integrity of front subframe 70. Electronic opening of all windows - functioning 128.   28. Rear window wintegrity 78. Door handles - operation and condition 131.   31. Tork induction and alignment 80. Exterior side mirrors - electronic mirror controls, folding and adjustment mechanism. 133.   32. Trunk - visual damage 82. Armest - operation and condition 132.   33. Trunk  | 114. Check if tyres are properly fitted (should be fitted in driving directior  |
| 17. Rear reflectors - condition   17. deby     18. Windscreen integrity - free from any damage that would exclude the whick from MOT test   68. Rear view camera / proximity sensors - functioning   18. deby     19. Windscreen windows wher rubbers and handles - condition   69. Parking assistance systems - functioning   19. deby     20. For not Bior condition   71. Heating system - functioning   120. deby     21. For not Bior condition   71. Heating system - functioning (form & forma)   121. deby     22. Hood outpring & holding mechanism   72. Aircon system - functioning (form & forma)   124. deby     24. Hood sound insultion for condition   74. Seath basiting system - functioning (form & forma)   126. deby     24. Hood sound insultion for condition   75. Seata digustment mechanism - functioning   126. deby     27. Integrity of form stafframe   72. Bicronic opening of all windows - functioning   128. deby     27. Rear window whether rubber and handle   70. Electronic opening of all windows - functioning   128. deby     28. Rear windows wiper rubber and handle   80. Exterior side mirrors - electronic mirror controls, folding and alignment   128. deby     29. Turker visu diamage   80. Exterior side mirrors - functioning damage   131. deby     20. Turker visu diamage   81. Fornt trims for condition   132. deby  | 115. Check tyre profile   |
| 17. Kear (Petectors - condition)6.7. Navigation and radio system - operationdefly18. Windscreen integrity - free from any damage that would exclude the<br>elicite from MOT test68. Rear view camera / proximity sensors - functioning18.<br>set to<br>set to<br><td>116. Check tyre pressure</td> | 116. Check tyre pressure  |
| eyelick from MOT test6.8. Rear view carriers / proximity sensors - functioningset o19. Windscreen windows wiper rubbers and handles - condition6.9. Parking assistance systems - functioning120. Corr20. Front bumper - condition and alignment70. 12-voit and USB connectors - functioning120.21. Front gill - condition71. Heating system - functioning121.22. Hood -visual damage72. Aircon system - functioning (driver & passenger)124.23. Hood opening & holding mechanism75. Seathest in functioning (driver & passenger)124.24. Hood sound insulation for condition75. Seathest in functioning (driver & passenger)124.25. Fire wall for condition75. Seathest in functioning (driver & passenger)126.27. Integrity of front subframe77. All seats - condition127.28. Rear window integrity78. Door handles - operation and condition128.29. Rear windows wiper rubber and handle80. Exterior side mirror - electronic mirror controls, folding and aligument130.30. Rear bumper - condition and alignment80. Exterior side mirror - electronic mirror controls, folding and aligument mechanism131.31. Tow hich (ettachment, removel mechanism, external light connector)181.131.32. Trunk - visual damage82. Armrest - operation and condition132.33. Trunk - opening and holding mechanism83. Front trins for condition134.34. Automatic closure mechanism of trunk - functioning84. Rear trins for condition134.35. Integrity of rear bottom plate85. Door trins for condition13   | 117. Check the additional set of tyres - check for any signs of cracks due to<br>dehydration (if there is an additional set of tyres) |
| 19. Windox/ream windows wipper futbers and nandles - conditione.v. Parking assistance systems - functioningcorrer20. Front burner - condition and alignment70. 12-volt and USB connectors - functioning120.21. Front gill - condition71. Heating system - functioning front & rear)123.22. Hood - visual damage72. Aircon system - functioning (driver & rear)124.23. Hood opening & holding mechanism73. Seat adjustment functioning (driver & passenger)124.24. Hood sound insulation for condition75. Seat adjustment mechanisms - functioning and locking mechanism125.26. Window washer fluid level (and adequate winter washer fluid)76. Seat adjustment mechanisms - functioning and locking mechanism126.27. Integrity of front subframe77. All seats - condition127.28. Rear window witegrity78. Door handles - operation and condition128.30. Rear burnper - condition and alignment80. Exterior side mirrors - electronic mirror controls, folding and adjustment mechanism130.31. Tow hitch (attachment, removal mechanism, external light connector)81. Interior lighting - basic functioning, damage131.32. Trunk - visual damage82. Armrest - operation and condition132.33. Trunk - opening and holding mechanism83. Front trins for condition133.34. Automatic closure mechanism of trunk - functioning84. Rear trins for condition136.35. Integrity of mirror itself and attachment to the car87. Cear shift boot/skirt and Gear shift knob - condition136.36. Check box panel geometry89. Floor mist for condition <td>118. Check additional set of tires - Check tire profile (if there is additional<br/>set of tires)</td>   | 118. Check additional set of tires - Check tire profile (if there is additional<br>set of tires)                                      |
| 21. Front grill-condition71. Heating system -functioning121.22. Hood visual damage72. Aircon system - functioning furch & rear)123.23. Hood opening & holding mechanism73. Window heating mechanism - functioning (friver & passenger)124.24. Hood sound insulation for condition74. Seat heating system - functioning (driver & passenger)126.24. Hood sound insulation for condition75. Seathelts - functioning and locking mechanism127.25. Fire wall for condition76. Seat adjustment mechanisms - functioning (driver & passenger)128.26. Window washer fluid level (and adequate winter washer fluid level (and adequate winter washer fluid level (and adequate winter washer fluid level)78. Seat adjustment mechanism - functioning (driver & passenger)128.26. Window sintegrity78. Door handles - operation and condition127.27. Integrity of front subframe79. Electronic opening of all windows - functioning129.29. Rear window wintegrity70. Electronic opening of all windows - functioning120.20. Rear bumper - condition and alignment28.81. Interior lighting - basic functioning, damage121.31. Trunk - functioning & condition82. Armest - operation and condition132.33.32. Trunk - visual damage84. Rear trins for condition134.33. Trunk - opening and holding mechanism84. Rear trins for condition136.34. Automatic closure mechanism of trunk - functioning86. Ceiling trins for condition134.35. Integrity of miror itself ad attachment tothe ca87. Rear window for condition134.   | 119. Check the wheels for proper attachment (all bolts present and with correct tension)  |
| 21. Front grill-condition71. Heating system -functioning121.22. Hood visual damage72. Aircon system - functioning furch & rear)123.23. Hood opening & holding mechanism73. Window heating mechanism - functioning (friver & passenger)124.24. Hood sound insulation for condition74. Seat heating system - functioning (driver & passenger)126.24. Hood sound insulation for condition75. Seathelts - functioning and locking mechanism127.25. Fire wall for condition76. Seat adjustment mechanisms - functioning (driver & passenger)128.26. Window washer fluid level (and adequate winter washer fluid level (and adequate winter washer fluid level (and adequate winter washer fluid level)78. Seat adjustment mechanism - functioning (driver & passenger)128.26. Window sintegrity78. Door handles - operation and condition127.27. Integrity of front subframe79. Electronic opening of all windows - functioning129.29. Rear window wintegrity70. Electronic opening of all windows - functioning120.20. Rear bumper - condition and alignment28.81. Interior lighting - basic functioning, damage121.31. Trunk - functioning & condition82. Armest - operation and condition132.33.32. Trunk - visual damage84. Rear trins for condition134.33. Trunk - opening and holding mechanism84. Rear trins for condition136.34. Automatic closure mechanism of trunk - functioning86. Ceiling trins for condition134.35. Integrity of miror itself ad attachment tothe ca87. Rear window for condition134.   | 120. Check the integrity and proper attachment of drivetrain system   |
| 22. Hood -visual damage72. Aircon system -functioning122.23. Hood opening & holding mechanism73. Window heating mechanism - functioning (front & rear)123.24. Hood sound insulation for condition74. Seathetis - functioning and locking mechanism124.25. Fire wall for condition75. Seathetis - functioning and locking mechanism125.26. Window washer fluid level (and adequate winter washer fluid)76. Seat adjustment mechanisms - functioning (driver & passenger)126.27. Integrity of front subframe77. All seats - condition128.28. Rear window integrity78. Door handles - operation and condition128.29. Rear windows wiper rubber and handle79. Electronic opening of all windows - functioning129.20. Rear windows wiper rubber and handle80. Exterior side mirrors - electronic mirror controls, folding and adjustment mechanism130.30. Rear bumper - condition and alignment80. Exterior side mirrors - electronic mirror controls, folding and adjustment mechanism131.31. Tow hitch (attachment, removal mechanism, external light connector)81. Interior lighting - basic functioning, damage131.32. Trunk - visual damage82. Armrest - operation and condition132.33. Trunk - opening and holding mechanism83. Front trins for condition134.34. Automatic closure mechanism of trunk - functioning84. Rear trins for condition136.35. Integrity of mirror itself and attachment to the car87. Gear shift boot/skit and Gear shift knob - condition136.36. Exterior mirrors - integrity and anage / scratches90. Parcel   | 121. Check the drivetrain attachment to engine for potential leaks  |
| 23. Hood opening & holding mechanism73. Window heating mechanism - functioning (front & rear)123.24. Hood sound insulation for condition74. Seat heating system - functioning (driver & passenger)124.25. Fire wall for condition75. Seat bets - functioning and locking mechanism125.26. Window washer fluid level (and adequate winter washer fluid)76. Seat adjustment mechanisms - functioning (driver & passenger)126.27. Integrity of front subframe77. All seats - condition127.28. Rear window integrity78. Door handles - operation and conditionmissis29. Rear windows wiper rubber and handle79. Electronic opening of all windows - functioning129.20. Rear bumper - condition and alignment80. Exterior side mirrors - electronic mirror controls, folding and adjustment mechanism131.31. Tow hitch (attachment, removal mechanism, external light connector)81. Interior lighting - basic functioning, damage131.32. Trunk - visual damage82. Armrest - operation and condition132.33. Trunk - opening and holding mechanism83. Front trins for condition134.34. Automatic closure mechanism of trunk - functioning84. Rear trins for condition136.35. Integrity of mirror itself and attachment to the car87. Gear shift knob - condition138.36. There mirrors - integrity of mirror itself and attachment to the car89. Floor mast for condition138.37. Exterior mirrors - integrity of mirror itself and attachment to the car89. Ploor mast for condition138.38. The state of the wheels89. Ploor mast for condition </td <td>122. Check the integrity and the proper attachment of the wheelhouse</td>   | 122. Check the integrity and the proper attachment of the wheelhouse  |
| 24. Hood sound insulation for condition74. Seat heating system - functioning (driver & passenger)124.25. Fire wall for condition75. Seatbelts - functioning and locking mechanism125.26. Window washer fluid level (and adequate winter washer fluid)76. Seat adjustment mechanisms - functioning (driver & passenger)126.27. Integrity of front subframe77. All seats - condition127.28. Rear window integrity78. Door handles - operation and condition128.29. Rear windows wiper rubber and handle79. Electronic opening of all windows - functioning129.29. Rear windows wiper rubber and handle79. Electronic opening of all windows - functioning130.30. Rear bumper - condition and alignment80. Exterior side mirrors - electronic mirror controls, folding and adjustment mechanism131.31. Tow hitch (attachment, removal mechanism, external light connector)81. Interior lighting - basic functioning, damage133.32. Trunk - visual damage82. Armrest - operation and condition132.33. Trunk - opening and holding mechanism84. Rear trims for condition135.34. Automatic closure mechanism of trunk - functioning84. Ceiling trims for condition136.35. Integrity of rear bottom plate86. Ceiling trims for condition138.36. Fix new numberplate86. Ceiling trims for condition138.37. Exterior rintfors - integrity of mirror itself and attachment to the car87. Gear shift boot/skirt and Gear shift knob - condition139.38. The state of the wheels90. Parcel shelf - operation and condition139.139. </td <td>123. Check the wheelhouse for potential leaks</td>  | 123. Check the wheelhouse for potential leaks   |
| 25. Fire wall for condition75. Seatbelts - functioning and locking mechanism125.26. Window washer fluid level (and adequate winter washer fluid)76. Seat adjustment mechanisms - functioning (driver & passenger)126.27. Integrity of front subframe77. All seats - condition127.28. Rear window integrity78. Door handles - operation and condition128.29. Rear windows wiper rubber and handle79. Electronic opening of all windows - functioning129.20. Rear windows wiper rubber and handle80. Exterior side mirrors - electronic mirror controls, folding and<br>adjustment mechanism130.30. Rear bumper - condition and alignment80. Exterior lighting - basic functioning, damage131.31. Tow hitch (attachment, removal mechanism, external light connector) -<br>functioning & condition81.133.32. Trunk - visual damage82. Armrest - operation and condition132.33. Trunk - opening and holding mechanism83. Front trims for condition133.34. Automatic closure mechanism of trunk - functioning<br>at truth - functioning85. Door trims for condition136.35. Integrity of rear bottom plate86. Ceiling trims for condition138.36. Fix new numberplate80. Parcel sheff - operation and condition139.37. Check body panel geometry89. Floor mats for condition138.39. Check body panel geometry80. Parcel sheff - operation and condition140.41. Car all along the left side - visual damage / scratches90. Parcel sheff - operation and condition141.42. All 4 doors - proper opening and closing,  | 124. Check for sings of slack while turning wheels to extreme position  |
| 26. Window washer fluid level (and adequate winter washer fluid)76. Seat adjustment mechanisms - functioning (driver & passenger)126.27. Integrity of front subframe77. All seats - condition127.28. Rear window integrity78. Door handles - operation and condition128.29. Rear windows wiper rubber and handle79. Electronic opening of all windows - functioning129.20. Rear bumper - condition and alignmentadjustment mechanism130.31. Tow hitch (attachment, removal mechanism, external light connector)81. Interior lighting - basic functioning, damage131.32. Trunk - visual damage82. Armrest - operation and condition132.33. Trunk - opening and holding mechanism83. Front trims for condition133.34. Automatic closure mechanism of trunk - functioning84. Rear trims for condition135.35. Integrity of rear bottom plate86. Ceiling trims for condition135.36. Fix new numberplate86. Ceiling trims for condition136.37. Exterior singerity of mirror itself and attachment to the car87. Gear shift boot/skirt and Gear shift knob - condition137.38. The state of the wheels88. Parking brake for condition138.39. Check body panel geometry90. Parcel shelf - operation and condition134.41. Car all along the left side - visual damage / scratches90. Parcel shelf - operation and condition138.39. Check body panel geometry91. Carpets in lugage area - condition141.42. All 4 doors - proper opening and closing, handles working property, etc.92. Luggage compartment light  | 125. Check the brake disks for integrity and potential oxidation  |
| 27. Integrity of front subframe77. All seats - condition127.28. Rear window integrity78. Door handles - operation and condition128.<br>missi29. Rear windows wiper rubber and handle79. Electronic opening of all windows - functioning128.<br>missi30. Rear bumper - condition and alignment80. Exterior side mirrors - electronic mirror controls, folding and<br>adjustment mechanism130.<br>adjustment mechanism31. Tow hitch (attachment, removal mechanism, external light connector)<br>thickness of connector) - functioning & condition82. Armrest - operation and condition132.<br>132.<br>133.<br>33. Trunk - opening and holding mechanism83. Front trims for condition133.<br>33.<br>33.<br>33.<br>33. Trunk - opening and holding mechanism of trunk - functioning84. Rear trims for condition133.<br>33.<br>33.<br>34. Automatic closure mechanism of trunk - functioning84. Rear trims for condition134.<br>spee35. Integrity of rear bottom plate86. Ceiling trims for condition136.<br>33.<br>35. Surtegrity of rear bottom plate86. Ceiling trims for condition137.<br>37.<br>38. The state of the wheels88. Parking brake for condition137.<br>37.<br>38. The state of the wheels90. Parcel shelf - operation and condition137.<br>37.<br>38. The state of the wheels91. Carpets in luggage area - condition134.<br>39.<br>39.<br>39.<br>39. Check body panel geometry82.<br>39. Parking brake for condition137.<br>37.<br>37.<br>38. The state of the wheels91. Carpets in luggage area - condition134.<br>39.<br>39.<br>39.<br>39. Check body panel geometry134.<br>40. Car all along the left side - visual damage / scratches91. Carpets in luggage are  | 126. Check the brake pads for integrity and proper attachment   |
| 28. Rear window integrity78. Door handles - operation and condition128.<br>missi29. Rear window integrity79. Electronic opening of all windows - functioning129.<br>(Reak29. Rear windows wiper rubber and handle79. Electronic opening of all windows - functioning130.<br>(Reak30. Rear bumper - condition and alignment80. Exterior side mirrors - electronic mirror controls, folding and<br>adjustment mechanism130.<br>adjustment mechanism31. Tow hitch (attachment, removal mechanism, external light connector)81. Interior lighting - basic functioning, damage131.32. Trunk - visual damage82. Armrest - operation and condition132.<br>33.33. Trunk - opening and holding mechanism83. Front trims for condition133.<br>spee34. Automatic closure mechanism of trunk - functioning84. Rear trims for condition135.<br>(mair<br>35.<br>Integrity of rear bottom plate85. Door trims for condition136.<br>Spee35. Integrity of rear bottom plate85. Ceiling trims for condition137.<br>(mair<br>36. Fix new numberplate89. Floor mats for condition137.<br>(mair<br>37.<br>38. The state of the wheels89. Parking brake for condition137.<br>(mair<br>39.<br>39. Check body panel geometry89. Floor mats for condition138.<br>(mair<br>39.<br>39. Check body panel geometry141.<br>41. Car all along the left side - visual damage / scratches90. Parcel shelf - operation and condition141.<br>41.<br>42. All 4 doors - proper opening and closing, handles working properly, etc.<br>P3. Satisfactory starting, general performance and the state of the wheis is<br>needed)143.<br>43.<br>44.<br>44. Battery connectors - integrity a   | 127. Check the brake pads for thickness   |
| 22. Kear windows wiper rubber and handle79. Electronic opening of all windows - functioningleaka30. Rear bumper - condition and alignment80. Exterior side mirrors - electronic mirror controls, folding and<br>adjustment mechanism130.<br>adjustment mechanism31. Tow hitch (attachment, removal mechanism, external light connector)81. Interior lighting - basic functioning, damage131.32. Trunk - visual damage82. Armrest - operation and condition132.33. Trunk - opening and holding mechanism83. Front trims for condition133.34. Automatic closure mechanism of trunk - functioning84. Rear trims for condition134.35. Integrity of rear bottom plate85. Door trims for condition135.<br>(mair36. Fix new numberplate86. Celling trims for condition137.38. The state of the wheels88. Parking brake for condition138.39. Check body panel geometry89. Floor mats for condition139.40. Car all along the left side - visual damage / scratches90. Parcel shelf - operation and condition140.41. Car all along the right side - visual damage / scratches91. Carpets in luggage area - condition141.42. All 4 doors - proper opening and closing, handles working properly, etc.92. Luggage compartment lights - functioning143.43. Battery cannectors - integrity and oxidation94. OBD reading144.144.44. Battery connectors - integrity and oxidation94. CBD reading, eneral performance and the state of the weice i<br>needed)143.44. Battery connectors - integrity and oxidation94. OBD reading144.  | 128. Check the integrity of brake hoses (signs of cracks from dehydration,<br>nisshaping and leakages)                                |
| 30. Rear Dumper - condition and alignmentadjustment mechanismturni31. Tow hitch (attachment, removal mechanism, external light connector)81. Interior lighting - basic functioning, damage131.32. Trunk - visual damage82. Armrest - operation and condition132.33. Trunk - opening and holding mechanism83. Front trims for condition133.34. Automatic closure mechanism of trunk - functioning84. Rear trims for condition136.34. Automatic closure mechanism of trunk - functioning85. Door trims for condition136.36. Fix new numberplate86. Ceiling trims for condition136.37. Exterior mirrors - integrity of mirror itself and attachment to the car87. Gear shift boot/skirt and Gear shift knob - condition136.39. Check body panel geometry89. Floor mats for condition138.40. Car all along the left side - visual damage / scratches90. Parcel shelf - operation and condition140.41. Car all along the right side - visual damage / scratches91. Carpets in luggage area - condition141.42. All 4 doors - proper opening and closing, handles working properly, etc.92. Luggage compartment lights - functioning143.44. Battery connectors - integrity and oxidation94. OBD reading144.45. Wiring integrity near battery95. Satisfactory starting, general performance and the state of the vehicle143.46. Battery properly fixed in the car96. Check key components for integrity and proper attachment: air intake system, radiator, main hoses, cables and connectors144.  | 129. Check the integrity of brake pipes (oxydation, misshaping and eakages)   |
| bit kness of connector) - functioning & conditionbit interior ignuing - basic functioning, damage131.32. Trunk - visual damage82. Armrest - operation and condition132.33. Trunk - opening and holding mechanism83. Front trims for condition133.34. Automatic closure mechanism of trunk - functioning84. Rear trims for condition134.35. Integrity of rear bottom plate85. Door trims for condition135.36. Fix new numberplate86. Celling trims for condition136.37. Exterior mirrors - integrity of mirror itself and attachment to the car87. Gear shift boot/skirt and Gear shift knob - condition137.38. The state of the wheels88. Parking brake for condition138.39. Check body panel geometry89. Floor mats for condition139.40. Car all along the left side - visual damage / scratches90. Parcel shelf - operation and condition140.41. Car all along the right side - visual damage / scratches91. Carpets in luggage area - condition141.42. All 4 doors - proper opening and closing, handles working properly, etc.92. Luggage compartment lights - functioning143.43. Battery capacity93. Test drive (performed if there are any indications that test drive is needed)143.44. Battery connectors - integrity and oxidation94. OBD reading144.45. Wiring integrity near battery95. Satisfactory starting, general performance and the state of the vehicle145.46. Battery properly fixed in the car96. Check key components for integrity and proper attachment: air indake<br>system, radiator, main hoses, cables and  | 130. IF FITTED: check the brake drums for audible signs of any issues whil<br>running the wheels                                      |
| 33. Trunk - opening and holding mechanism83. Front trims for condition133. speed34. Automatic closure mechanism of trunk - functioning84. Rear trims for condition134. speed35. Integrity of rear bottom plate85. Door trims for condition135. (main for condition)36. Fix new numberplate86. Ceiling trims for condition136. (main for condition)37. Exterior mirrors - integrity of mirror itself and attachment to the car87. Gear shift boot/skirt and Gear shift knob - condition38. The state of the wheels88. Parking brake for condition136.39. Check body panel geometry89. Floor mats for condition139.40. Car all along the left side - visual damage / scratches90. Parcel shelf - operation and condition140.41. Car all along the right side - visual damage / scratches91. Carpets in luggage area - condition141.42. All 4 doors - proper opening and closing, handles working properly, etc.92. Luggage compartment lights - functioning143.43. Battery capacity93. Test drive (performed if there are any indications that test drive is needed)143.44. Battery connectors - integrity and oxidation94. OBD reading144.45. Wiring integrity near battery95. Satisfactory starting, general performance and the state of the vehicle145.46. Battery properly fixed in the car96. Check key components for integrity and proper attachment: air intake system, radiator, main hoses, cables and connectors144.   | 131. IF FITTED: check the hand brake cables for integrity   |
| 33. Irunk - opening and holding mechanism33. Front truns for conditionspeei34. Automatic closure mechanism of trunk - functioning84. Rear trins for condition134.<br>speei35. Integrity of rear bottom plate85. Door trins for condition135.<br>(mai36. Fix new numberplate86. Ceiling trins for condition136.<br>(mai37. Exterior mirrors - integrity of mirror itself and attachment to the car87. Gear shift boot/skirt and Gear shift knob - condition137.<br>   | 132. Check for audible signs of any issues while turning the wheel  |
| 34. Automatic closure mechanism of trunk - functioning84. Rear trims for conditionspeed35. Integrity of rear bottom plate85. Door trims for condition135.36. Fix new numberplate86. Ceiling trims for condition136.37. Exterior mirrors - integrity of mirror itself and attachment to the car87. Gear shift boot/skirt and Gear shift knob - condition137.38. The state of the wheels88. Parking brake for condition138.39. Check body panel geometry89. Floor mats for condition139.40. Car all along the left side - visual damage / scratches90. Parcel shelf - operation and condition140.41. Car all along the right side - visual damage / scratches91. Carpets in luggage area - condition141.42. All 4 doors - proper opening and closing, handles working properly, etc.92. Luggage compartment lights - functioning142.43. Battery capacity93. Test drive (performed if there are any indications that test drive is needed)143.44. Battery connectors - integrity and oxidation94. OBD reading144.45. Wiring integrity near battery95. Satisfactory starting, general performance and the state of the vehicle145.46. Battery properly fixed in the car96. Check key components for integrity and proper attachment: air intake system, radiator, main hoses, cables and connectors146.  | 133. Check for signs of vibration on rear of the wheel while turning at speed (check during Testdrive if any indication of problems)  |
| 33. Integrity of rear bottom plateSb. Door trims for condition(mair36. Fix new numberplate86. Ceiling trims for condition136.37. Exterior mirrors - integrity of mirror itself and attachment to the car87. Gear shift boot/skirt and Gear shift knob - condition137.38. The state of the wheels88. Parking brake for condition138.39. Check body panel geometry89. Floor mats for condition139.40. Car all along the left side - visual damage / scratches90. Parcel shelf - operation and condition140.41. Car all along the right side - visual damage / scratches91. Carpets in luggage area - condition141.42. All 4 doors - proper opening and closing, handles working properly, etc.92. Luggage compartment lights - functioning143.43. Battery capacity93. Test drive (performed if there are any indications that test drive is needed)144.45. Wiring integrity near battery95. Satisfactory starting, general performance and the state of the vehicle145.46. Battery properly fixed in the car96. Check key components for integrity and proper attachment: air intake system, radiator, main hoses, cables and connectors146.   | 134. Check for signs of vibration on rear of the wheel while turning at speed (check during Testdrive if any indication of problems)  |
| 37. Exterior mirrors - integrity of mirror itself and attachment to the car87. Gear shift boot/skirt and Gear shift knob - condition137.38. The state of the wheels88. Parking brake for condition138.39. Check body panel geometry89. Floor mats for condition140.40. Car all along the left side - visual damage / scratches90. Parcel shelf - operation and condition141.42. All 4 doors - proper opening and closing, handles working properly. etc.92. Luggage compartment lights - functioning142.43. Battery capacity93. Test drive (performed if there are any indications that test drive is needed)143.44. Battery connectors - integrity and oxidation94. OBD reading144.45. Wiring integrity near battery95. Satisfactory starting, general performance and the state of the vehicle145.46. Battery properly fixed in the car96. Check key components for integrity and proper attachment: air intake system, radiator, main hoses, cables and connectors146.  | 135. Check the drive shaft covers for proper attachment and integrity<br>mainly tearing)  |
| 38. The state of the wheels   88. Parking brake for condition   138.     39. Check body panel geometry   89. Floor mats for condition   139.     40. Car all along the left side - visual damage / scratches   90. Parcel shelf - operation and condition   140.     41. Car all along the right side - visual damage / scratches   91. Carpets in luggage area - condition   141.     42. All 4 doors - proper opening and closing, handles working properly, etc.   92. Luggage compartment lights - functioning   142.     43. Battery capacity   93. Test drive (performed if there are any indications that test drive is needed)   143.     44. Battery connectors - integrity and oxidation   94. OBD reading   144.     45. Wiring integrity near battery   95. Satisfactory starting, general performance and the state of the vehicle   145.     46. Battery properly fixed in the car   96. Check key components for integrity and proper attachment: air intake system, radiator, main hoses, cables and connectors   part   | 136. Check for slack on stub axles  |
| 38. The state of the wheels88. Parking brake for condition138.39. Check body panel geometry89. Floor mats for condition139.40. Car all along the left side - visual damage / scratches90. Parcel shelf - operation and condition140.41. Car all along the right side - visual damage / scratches91. Carpets in luggage area - condition141.42. All 4 doors - proper opening and closing, handles working properly, etc.92. Luggage compartment lights - functioning142.43. Battery capacity93. Test drive (performed if there are any indications that test drive is needed)143.44. Battery connectors - integrity and oxidation94. OBD reading144.45. Wiring integrity near battery95. Satisfactory starting, general performance and the state of the vehicle145.46. Battery properly fixed in the car96. Check key components for integrity and proper attachment: air intak system, radiator, main hoses, cables and connectors146.  | 137. Check the attachement and integrity of stub axles covers   |
| 40. Car all along the left side - visual damage / scratches   90. Parcel shelf - operation and condition   140.     41. Car all along the right side - visual damage / scratches   91. Carpets in luggage area - condition   141.     42. All 4 doors - proper opening and closing, handles working properly, etc.   92. Luggage compartment lights - functioning   142.     43. Battery capacity   93. Test drive (performed if there are any indications that test drive is needed)   143.     44. Battery connectors - integrity and oxidation   94. OBD reading   144.     45. Wiring integrity near battery   95. Satisfactory starting, general performance and the state of the vehicle   145.     46. Battery properly fixed in the car   96. Check key components for integrity and proper attachment: air intake system, radiator, main hoses, cables and connectors   part  | 138. Check for proper attachment and any slack  |
| 40. Car all along the left side - visual damage / scratches90. Parcel shelf - operation and condition140.41. Car all along the right side - visual damage / scratches91. Carpets in luggage area - condition141.42. All 4 doors - proper opening and closing, handles working properly, etc92. Luggage compartment lights - functioning142.43. Battery capacity93. Test drive (performed if there are any indications that test drive is needed)143.44. Battery connectors - integrity and oxidation94. OBD reading144.45. Wiring integrity near battery95. Satisfactory starting, general performance and the state of the vehicle145.46. Battery properly fixed in the car96. Check key components for integrity and proper attachment: air intake system, radiator, main hoses, cables and connectors146.   | 139. Check the integrity of the springs (mainly for breaks)   |
| 41. Car all along the right side - visual damage / scratches   91. Carpets in luggage area - condition   141.     42. All 4 doors - proper opening and closing, handles working properly, etc.   92. Luggage compartment lights - functioning   142.     43. Battery capacity   93. Test drive (performed if there are any indications that test drive is needed)   143.     44. Battery connectors - integrity and oxidation   94. OBD reading   144.     45. Wiring integrity near battery   95. Satisfactory starting, general performance and the state of the vehicle   145.     46. Battery properly fixed in the car   96. Check key components for integrity and proper attachment: air intake system, radiator, main hoses, cables and connectors   146.  | 140. Check the proper attachment of shock absorbers   |
| 42. All 4 doors - proper opening and closing, handles working properly, et92. Luggage compartment lights - functioning142.<br>on th43. Battery capacity93. Test drive (performed if there are any indications that test drive is<br>needed)143.44. Battery connectors - integrity and oxidation94. OBD reading144.45. Wiring integrity near battery95. Satisfactory starting, general performance and the state of the vehicle<br>system, radiator, main hoses, cables and connectors146.  | 141. Check leakage of shock absorbers   |
| 43. Battery capacity needed) 143.   44. Battery connectors - integrity and oxidation 94. OBD reading 144.   45. Wiring integrity near battery 95. Satisfactory starting, general performance and the state of the vehicle 145.   46. Battery properly fixed in the car 96. Check key components for integrity and proper attachment: air intake system, radiator, main hoses, cables and connectors 146.   | 142. Check the functioning of the shock absorbers while putting pressure<br>on the car  |
| 44. Battery connectors - integrity and oxidation 94. OBD reading 144.   45. Wiring integrity near battery 95. Satisfactory starting, general performance and the state of the vehicle 145.   46. Battery properly fixed in the car 96. Check key components for integrity and proper attachment: air intake system, radiator, main hoses, cables and connectors 146.   | 143. Check the engine mountings   |
| 45. Wiring integrity near battery 95. Satisfactory starting, general performance and the state of the vehicle 145.   46. Battery properly fixed in the car 96. Check key components for integrity and proper attachment: air intake system, radiator, main hoses, cables and connectors 146.   | 144. Check the integrity and proper attachment of the fuel tank   |
| 46. Battery properly fixed in the car96. Check key components for integrity and proper attachment: air intake<br>system, radiator, main hoses, cables and connectors146.   | 145. Check for potential fuel tank leaks  |
|  | 146. Check for integrity of visible fuel lines (should not scrub against any<br>part and should be properly fixed near fuel pump)     |
|  | 147. Check the integrity and proper attachment of exhaust system  |
| 48. Locking mechanism on all doors and trunk including fuel hatch -<br>functioning 98. Check drive (V-) belt for tension 148.  | 148. Check for leakages all along the exhaust system  |
| 49. Children's lock - functioning 99. Check serpentine (multi-) belt for integrity (cracks and dehydration 149.  | 149. IF ANY SIGNS OF REMOVAL: check presence of DPF filter or<br>atalytic converter   |
| -  | 150. Check under the car for any signs of cracks due to dehydration   |

Diagnosis report of **2011 OPEL INSIGNIA EcoFLEX Edition** Stock ID: N442456